

**GODKENDELSESINDEHAVER:**

Fluidmaster Inc.  
30800 Rancho Viejo Road  
San Juan Capistrano  
California 92675  
USA  
Telefon: +1 949 728 2000  
Telefax: +1 949 728 2405  
Internet: www.fluidmaster.com

**Svømmeventil til wc-cisterne**

**FLUIDMASTER**

type 300 UK, 400 UK 063, 400 UK 24B, 747 UK 116B og  
PRO 45B-2B

**FABRIKAT:**

Fluidmaster Inc., USA

**MÆRKNING:**

- Fabrikantmærke: Fluidmaster, USA
- Typebetegnelse

**KVALITETSKONTROL:**

Godkendelsesindehaver opretholder  
obligatorisk kontrolaftale med  
KIWA Sverige AB.

**BETINGELSER FOR MONTERING OG BRUG:**

På tilgængsledningen til ventilen skal monteres en afspærringsventil.

**BESKRIVELSE OG TEKNISKE DATA:**

**Udførelse:**

Ventilens indløb er en nippel med 1/2" RG. Fra ventilen ledes vandet gennem et  
plastrør til udløb ved cisternes bund.

**Materiale:**

Hus, udløbsrør, møtrik og bevægelige dele er af plast.

**Vandstrøm:**

Fyldningstid ved et vandtryk på 3 kPa

Type	Fyldetid 6 liter	Fyldetid 9 liter
300 UK	76 sek.	63 sek.
400 UK 063	48 sek.	64 sek.
747 UK 116B	48 sek.	65 sek.
PRO 45B-2B	46 sek.	59 sek.



Peter Fritzel

Fluidmaster Inc.  
30800 Rancho Viejo Road  
San Juan Capistrano  
CA 92675  
USA

Your ref.:  
David Marbry

Our ref.:  
19766  
MFR/PV

Date:  
2017.02.01

**Re.: Approval of fill valve FLUIDMASTER type 300 UK, 400 UK, 747 UK  
and PRO 45B-2B**

Please, find enclosed the VA-approval of the above.

VA-approval no.: VA 1.52/19766  
Date of issue: 2017.02.01  
Date of expiry: 2020.04.01

Reproduction of the approval may only take place by reproducing the approval in its entirety.

As it appears from the approval it is limited in time. If you want the approval renewed please send us an application for the renewal approximately 6 months before the approval expires.

Basis and conditions for the approval being issued and maintained are the following:

**Basis:**

Your application dated 2016.11.28.  
Your technical leaflets.  
Drawings.

Testing report from:

Technological Institute, Aarhus, no. 270-0-0004 dated 2000.01.07.  
KIWA, no. 100901994/001, 101000384/001, 101000384/002, 101000384/003 dated 2010.12.16 and  
no. 101000384/002c and 101000384/003c dated 2011.05.05.

Control agreement no. 120400414 dated 2012.04.20 with KIWA Sverige AB.

**Conditions:**

- a The approval holder is under obligation to supply components in accordance with the components used as a basis for the approval.

Changes in the process of manufacture or materials shall be notified to ETA-Danmark immediately. We shall inform you if further testing is necessary.

- b We draw your attention to the fact that the approval can be amended or withdrawn before its natural expiration if new conditions are introduced or if conditions in the area are amended or discontinued. If the equipment is changed in such a way that it influences the conditions mentioned in the approval, if through inspection or in any other way it is proved that the equipment does not meet the requirements of the approval any longer, or if unacceptable inconveniences appear the use of the equipment.
- c Quality control of the mechanical/physical qualities in accordance with relevant VA PG or EN 14124 is carried out by KIWA Sverige AB.

It is a condition to maintain an inspection agreement in order to have the VA-approval kept valid. Copies of the inspection reports must be sent to ETA-Danmark A/S for evaluation.

A handwritten signature in blue ink that reads "Peter Fritzel".

Peter Fritzel

Copy: KIWA Sverige AB, att. Marco Van Brink